



SourceGlass

GLASS LAMINATION OVEN

WWW.SOURCEGLAS.COM INFO@SOURCEGLASS.COM.CN PHONE: +86 136 0613 6410

夹胶设备系列 Glass Laminating Machine

玻璃夹胶炉生产的夹胶玻璃具有以下优点：

- 1、四组或更多组高速静音热风机：温度更加均匀，夹胶玻璃透明度高
- 2、多段升温恒温系统：可解决气泡与水汽问题
- 3、配合新工艺，可解决夹胶玻璃玻璃边缘严重漏胶问题
- 4、国内独创的轨道设计，同样的可加工玻璃尺寸，我们机器的占地面积比其他厂家同类产品少40%以上！为你节省厂房租金支出
- 5、双工位循环加工，效率高、能耗低、产量大
- 6、在细节上持续改进并完善，做到最好的售后服务，树立良好的口碑，不必担心质量与售后服务的问题

The laminated glass has the following advantages:

- 1, Four or more groups of high speed and mute air heaters: better temperature uniformity, more transparent laminated glass
- 2, Multi-stage heating thermostat system which can solve the problems of bubbles and water vapor
- 3, With the film, it can solve the serious leakage of glue at the edge of laminated glass
- 4, Domestic original track design; to make the same size of processed glass, the floor space that our machines require is 40% less than similar products of other manufacturers! Save your rent payments for plant
- 5, Double-station circular processing, high efficiency, low energy consumption, high productivity
- 6, Insist in continuous improvement in the details, strive to provide best service and establish a good reputation, and there is nothing to worry about the quality and service

玻璃夹胶设备可生产：

- 1、LED光电智慧屏夹胶玻璃，智能调光玻璃
- 2、建筑夹胶玻璃：雨棚玻璃、阳台护栏玻璃、弧形夹胶玻璃
- 3、家具夹胶玻璃：珠宝柜台、电视柜桌面、茶几台面、仿真大理石纹夹胶玻璃、单面强化玻璃
- 4、节能玻璃、隔音门窗玻璃、防盗门窗玻璃、门窗腰线夹胶玻璃
- 5、家庭、酒店装饰夹层玻璃：夹丝玻璃、彩色夹层玻璃
- 6、安全夹胶淋浴房玻璃
- 7、马赛克夹胶玻璃
- 8、特种夹胶玻璃：防弹玻璃、调光玻璃、太阳能光伏玻璃、冰箱门
- 9、婚纱照夹胶玻璃、写真单面强化玻璃

The glass laminating equipment can produce:

- 1、LED laminating glass
- 2、The construction laminated glass: canopy glass, balcony railing glass, curved laminated glass
- 3、Furniture laminated glass: jewelry counter, TV cabinet table, table tops, marbling laminated glass, one-side toughened glass
- 4、Energy-saving glass, soundproof glass for windows and doors, glass for security doors and windows, laminated glass for windows string course
- 5、Family and hotel decorative laminated glass: wired glass, colored laminated glass
- 6、Safety laminated glass for shower room
- 7、Mosaic laminated glass
- 8、Special laminated glass: bullet-proof glass, dimming glass, solar photovoltaic glass and refrigerator door
- 9、Laminated glass for wedding photo, one-side tempered glass for photo

YW-2B

两进两出 / 两头开门
调光玻璃夹胶炉

Two in two out/doors at two ends

两个工作位在炉内加工，另两个在外面准备，交叉循环加工

Two work stations in the laminating machine, and the other two on the outside, cross circular processing



设备规格 Technical parameters


| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 2.44*3.66m | 3*4.2*1.3m | 3*13m | 51Kw | 4 |
| 2.44*6m | 3*6.5*1.3m | 3*21m | 76 Kw | 4 |

可根据客户要求定制各种规格


Can be customized according to customer requirements




建筑夹胶玻璃
Laminated glass



防盗防弹玻璃夹胶
Bullet-proof glass




夹丝玻璃
Wired glass



夹铜网玻璃
Laminated glass



透明夹胶玻璃
Laminated glass



户外夹胶玻璃
Laminated glass


YW-2S

两层 / 一进一出 / 单面开门
LED 智慧屏夹胶玻璃

two layers/ one in one out, single-side door

既可以两个工作位同时加工，也可以单层循环加工：
一个工作位在炉内加工另一个在外面准备

The processing can be conducted simultaneously in two work stations, and you can conduct single-layer circular processing, with one work station in the laminating machine, the other ready on the outside




设备规格 Technical parameters


| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 2.44*3.66m | 3*4.2*1.3m | 3*8.5m | 51Kw | 2 |
| 2.44*6m | 3*6.5*1.3m | 3*14m | 76Kw | 2 |

可根据客户要求定制各种规格


Can be customized according to customer requirements



LED 光电夹胶玻璃
LED Laminated glass



LED 光电夹胶玻璃
LED Laminated glass




LED 夹胶玻璃
LED glass




调光夹胶玻璃
LED glass



阳台护栏夹胶玻璃
Balcony railing glass



一次性真空袋
Laminated glass



PLC 触摸屏
PLC touch screen electric box



出口品质真空泵
Vacuum pump



传统电箱
General electric box

液压升降平台，操作简单方便，4层同时加工，产量非常大

Electric lifting platform, easy operation, four-layer simultaneous processing, high productivity



出口品质真空泵



设备规格 Technical parameters

| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 2.44*3.66m | 2.85*4.2*2m | 3*9m | 52Kw | 4 |

可根据客户要求定制各种规格
Can be customized according to customer requirements



电箱界面 1
PLC 1



电箱界面 2
PLC 2




发热管
Heating tube




光伏发电
Solar photovoltaic glass



阳台护栏
Balcony railing glass



夹丝玻璃
Wired glass



夹层玻璃
Wired glass



透明夹胶玻璃
Laminated glass


YW-4B

四进四出 / 一头开门 /
电动升降平台

four in four out/door on the one side/
electric lifting platform

一头开门，4个工作位在炉内加工，另4个在外面准备，交叉循环加工，床架与炉体中间为液压升降平台，此机器产量非常大，效率高，在同类产品中占地面积非常小

Door on one side, five work stations in the laminating machine, another five ready on the outside, cross circular processing; the electric lifting platform is located between bedsteads and furnace body, and this machine is of very high productivity, high efficiency, which requires very small floor space in contrast to similar products



设备规格 Technical parameters

可根据客户要求定制各种规格

Can be customized according to customer requirements

| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 2*3.66m | 2.7*4.1*2.1m | 2.7*15m | 52Kw | 8 |



建筑夹胶玻璃
Laminated glass



夹胶玻璃
Laminated glass



淋浴房夹胶玻璃
Laminated glass



热弯夹胶玻璃
Laminated glass



调光夹胶玻璃
LED glass

YW-S

小夹胶炉，做夹胶玻璃小样板专用

Small glass laminating machine for laminated glass sample



设备规格 Technical parameters

| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 450*450mm | 0.9*0.9*1.2m | 0.9*0.9m | 6Kw | 2 |

可根据客户要求定制各种规格

Can be customized according to customer requirements

YW-3SL

淋浴房夹胶玻璃夹胶炉

Furniture glass laminating machine

三层 / 单面开门

three layers, single-side door

本型号夹胶炉可生产淋浴房夹胶玻璃，家俱夹胶玻璃，夹层材料可以是绢丝也可以是大理石纹纸或玛瑙膜等。家俱夹胶玻璃应用于电视柜玻璃面、橱柜玻璃门、整体衣柜玻璃门、还有大理石纹圆台 / 方桌。

我司有整套生产家俱夹胶玻璃的技术经验，欢迎家俱厂以及相关配套玻璃厂来电咨询订购。本设备有以下优点：

- 1、可夹胶钢化玻璃，也可夹胶普通玻璃
- 2、可夹胶开洞玻璃
- 3、可单面夹胶，也可双层夹胶
- 4、产量大，每天可生产家俱夹胶玻璃 60—100 m²
- 5、低耗电量，38 度电每炉
- 6、我们提供培训更加成熟与有效率的现场生产经验

This glass laminating machine can produce furniture laminated glass with laminated materials that can be silk or marbled paper or agate film, etc. Furniture laminated glass is widely used in television cabinet glass surface, cabinet glass door, glass door of overall wardrobe, and marbled round table / square table.

Our company has a whole set of technologies and rich experience in furniture laminated glass, and we welcome furniture factories and related glass factories to inquire and order.

This device has the following advantages:


- 1, It can laminate toughened glass, and also ordinary glass
- 2, It can laminate glass with openings
- 3, It can conduct single-side laminating and also double-layer laminating
- 4, High productivity, which can produce furniture laminated glass of 60-100 m² every day
- 5, Low power consumption, 38 KWH per machine
- 6, We provide more systematic training and share efficient on-site production experience




设备规格 Technical parameters

| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 2.44*3.66m | 2.85*4.2*1.8m | 3*9m | 52Kw | 3 |


可根据客户要求定制各种规格
Can be customized according to customer requirements



茶几夹胶玻璃
Furniture laminated glass



大理石纹纸夹胶
Marbling laminated glass



家具夹胶玻璃
Wired glass



家私夹胶玻璃
Furniture laminated glass



淋浴房夹胶玻璃
Laminated glass

YW-2SM

马赛克玻璃夹胶炉

Mosaic glass laminating machine

两层 / 一进一出 / 单面开门

two layers / one in one out, single-side door

既可以两个工位同时加工也可以单层循环加工：一个工位在内加工另一个在外面准备

The processing can be conducted simultaneously in two work stations, and you can conduct single-layer circular processing, with one work station in the laminating machine, the other ready on the outside

夹胶玻璃与马赛克结合在一起，使得马赛克有了更多的创造和可能性。为家庭装饰、酒店装修、KTV、商场以及背景墙设计提供了更多精美的素材。

我司生产的夹胶炉经过改良，推出更适合于马赛克行业的夹胶炉，有以下特点：

- 1、产量大：每炉可生产 50—64 m²
- 2、低耗电：每炉只需要 28 度电左右
- 3、效率高：每炉的加工时间为 2.5 个小时
- 4、价格实惠，提供成熟可靠的马赛克生产方案。

Laminated glass and the mosaic fuse together, making more creativities and possibilities for mosaics. It can provide lots of attractive materials for home decoration, hotel decoration, KTV, shopping malls and backdrop design.

Our company has made some progress on the normal glass laminating machine and launched the laminating machine more suitable for mosaics, which has the following characteristics:


- 1, High productivity: Each machine can produce 50-64 m²
- 2, Low power consumption: Each machine takes only about 28 kWh
- 3, High efficiency: The processing time for each furnace is 2.5 hours
- 4, Affordable: It provides reliable mosaic production solutions.




设备规格 Technical parameters

| 可做玻璃尺寸 Glass size | 炉体尺寸 Dimension | 占地面积 Glass size | 总功率 Area covered | 硅胶袋层数 Layer of silicone bag |
|----------------------|-------------------|--------------------|---------------------|--------------------------------|
| 1.83*3.0m | 2.7*3.5*1.5m | 2.7*7m | 27Kw | 2 |
| 2.0*2.5m | 2.85*3.0*1.5m | 2.85*6m | 27 Kw | 2 |

可根据客户要求定制各种规格
Can be customized according to customer requirements




黑色 PET 背膜
Black back cover film




乳白色 PET 背膜
White back cover film



马赛克玻璃
Mosaic glass



马赛克夹胶
Mosaic laminates glass



马赛克夹胶
Mosaic laminates glass



马赛克夹胶
Mosaic laminates glass

夹胶炉专用硅胶袋


Vacuum silicone bag



山型硅胶扣



夹胶炉专用硅胶袋



圆形硅胶扣


可根据客户要求定制各种规格
Can be customized according
to customer requirements

抽真空透气网

Breathable mesh

透气网适用于玻璃夹胶炉以及强化炉的抽真空。能迅速导气排气，确保硅胶袋每一个角落的空气都能全部迅速排出。同时该透气网具有良好的耐高温与抗撕裂性能，把透气网铺盖在硅胶袋上下面，既能排气，又能保护硅胶袋免被锋利的玻璃边角划破。小小透气网，成本低廉，实在是夹胶炉生产夹胶玻璃必备之用品！

Breathable mesh is suitable for vacuum pumping in glass laminating machine and glass reinforced furnace, which can exhaust gas quickly to ensure that the air in every corner of silicone bags can all be quickly discharged. Meanwhile, the breathable mesh can resist high temperature and tearing; it can not only exhaust the air, but also protect the silicone bags from being scratched by sharp glass edges by equipping the breathable mesh on silicon bag below. The Little breathable mesh is low-cost, which is essentials for the laminated glass processing in furnace!



不沾胶透气网
Antistick breathable mesh



普通透气网
Ordinary breathable mesh